AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communication, (PC) Poster Communication

AKAIKE Norio *see* SADOSHIMA Jun-Ichi & AKAIKE Norio Kinetic properties of the caffeine-induced transient outward current in bull-frog sympathetic neurones. 341

ALLEN David G. *see* LEE John A., WESTERBLAD Håkan & ALLEN David G. Changes in tetanic and resting $[Ca^{2+}]_i$ during fatigue and recovery of single muscle fibres from *Xenopus laevis*. 307

ANDERSON Debra F. & BINDER Nancy D. Short-term saralasin blockade of renal hypertension in fetal lambs. 383

BALLARD H.J. The influence of lactic acid on adenosine release from skeletal muscle in anaesthetized dogs. 95

BARKER P.M., WALTERS D.V., MARKIEWICZ M. & STRANG L.B. Development of the lung liquid reabsorptive mechanism in fetal sheep: synergism of triiodothyronine and hydrocortisone. 435

BENNETT Max R., KARUNANITHI Shanker & LAVIDIS Nickolas A. Probabilistic secretion of quanta from nerve terminals in toad (*Bufo marinus*) muscle modulated by adenosine. 421

BEVAN Stuart & YEATS Jane Protons activate a cation conductance in a sub-population of rat dorsal root ganglion neurones. 145

BINDER Nancy D. *see* ANDERSON Debra F. & BINDER Nancy D. Short-term saralasin blockade of renal hypertension in fetal lambs. 383

BOLTON T.B. *see* KOMORI S. & BOLTON T.B. Calcium release induced by inositol 1,4,5-trisphosphate in single rabbit intestinal smooth muscle cells. 495

COLQUHOUN David *see* MARSHALL Cameron G., OGDEN David & COLQUHOUN David Activation of ion channels in the frog endplate by several analogues of acetylcholine. 73

CULL-CANDY Stuart G. *see* TRAYNELIS Stephen F. & CULL-CANDY Stuart G. Pharmacological properties and H^+ sensitivity of excitatory amino acid receptor channels in rat cerebellar granule neurones. 727

DAY B.L., RIESCHER H., STRUPPLER A., ROTHWELL J.C. & MARSDEN C.D. Changes in the response to magnetic and electrical stimulation of the motor cortex following muscle stretch in man. 41

DECKERT Alan & STIEVE Hennig Electrogenic Na^+–Ca^{2+} exchanger, the link between intra- and extracellular calcium in the *Limulus* ventral photoreceptor. 467

DIMALINE R., EVANS D., VARRO A. & DOCKRAY G.J. Reversal by omeprazole of the depression of gastrin cell function by fasting in the rat. 483

DOCKRAY G.J. *see* DIMALINE R., EVANS D., VARRO A. & DOCKRAY G.J. Reversal by omeprazole of the depression of gastrin cell function by fasting in the rat. 483

ESTRADA F. & SANCHEZ J.A. The effect of amiloride on the resting potential and the electrical constants of frog skeletal muscle fibres. 705

EUSEBI Fabrizio *see* ZONA Cristina, FARINI Donatella, PALMA Eleonora & EUSEBI Fabrizio Modulation of voltage-activated channels by calcitonin gene-related peptide in cultured rat neurones. 631

EVANS D. *see* DIMALINE R., EVANS D., VARRO A. & DOCKRAY G.J. Reversal by omeprazole of the depression of gastrin cell function by fasting in the rat. 483

FARINI Donatella *see* ZONA Cristina, FARINI Donatella, PALMA Eleonora & EUSEBI Fabrizio Modulation of voltage-activated channels by calcitonin gene-related peptide in cultured rat neurones. 631

FOX Aaron P. *see* MOGUL David J. & FOX Aaron P. Evidence for multiple types of Ca^{2+} channels in acutely isolated hippocampal CA3 neurones of the guinea-pig. 259

GILES W. *see* KAIBARA M., NAKAJIMA T., IRISAWA H. & GILES W. Regulation of spontaneous opening of the muscarinic K^+ channels in rabbit atrium. 589

GIRALDEZ F. *see* SHEPPARD D.N., VALVERDE M.A., GIRALDEZ F. & SEPÚLVEDA F.V. Potassium currents of isolated *Necturus* enterocytes: a whole-cell patch-clamp study. 663

GIRALDEZ F. *see* VALVERDE M.A., SHEPPARD D.N., GIRALDEZ F. & SEPÚLVEDA F.V. Two types of potassium currents seen in isolated *Necturus* enterocytes with the single-electrode voltage-clamp technique. 645

GONZALEZ C. *see* RIGUAL R., LÓPEZ-LÓPEZ J.R. & GONZALEZ C. Release of dopamine and chemoreceptor discharge induced by low pH and high P_{CO_2} stimulation of the cat carotid body. 519

GONZALEZ C. *see* ROCHER A., OBESO A., GONZALEZ C. & HERREROS B. Ionic mechanisms for the transduction of acidic stimuli in rabbit carotid body glomus cells. 533

HARMEYER J. *see* SCHRÖDER B., KAUNE R. & HARMEYER J. Effects of calcitriol on stimulation of ion transport in pig jejunal mucosa. 451

HARRIS P.J., ZHUO J., MENDELSOHN F.A.O. & SKINNER S.L. Haemodynamic and renal tubular effects of low doses of endothelin in anaesthetized rats. 25

HERREROS B. *see* ROCHER A., OBESO A., GONZALEZ C. & HERREROS B. Ionic mechanisms for the transduction of acidic stimuli in rabbit carotid body glomus cells. 533

HOWE James R. & RITCHIE J.M. On the active form of 4-aminopyridine: block of K^+ currents in rabbit Schwann cells. 183

IRISAWA H. *see* KAIBARA M., NAKAJIMA T., IRISAWA H. & GILES W. Regulation of spontaneous opening of the muscarinic K^+ channels in rabbit atrium. 589

IVORRA I. *see* PARKER I. & IVORRA I. Inositol tetrakisphosphate liberates stored Ca^{2+} in *Xenopus* oocytes and facilitates responses to inositol trisphosphate. 207

IVORRA I. *see* PARKER I. & IVORRA I. Caffeine inhibits inositol trisphosphate-mediated liberation of intracellular calcium in *Xenopus* oocytes. 229

KAIBARA M., NAKAJIMA T., IRISAWA H. & GILES W. Regulation of spontaneous opening of the muscarinic K^+ channels in rabbit atrium. 589

KARUNANITHI Shanker *see* BENNETT Max R., KARUNANITHI Shanker & LAVIDIS Nickolas A. Probabilistic secretion of quanta from nerve terminals in toad (*Bufo marinus*) muscle modulated by adenosine. 421

KAUNE R. *see* SCHRÖDER B., KAUNE R. & HARMEYER J. Effects of calcitriol on stimulation of ion transport in pig jejunal mucosa. 451

KIMITSUKI Takashi *see* WANG Zhuren, KIMITSUKI Takashi & NOMA Akinori Conductance properties of the Na^+-activated K^+ channel in guinea-pig ventricular cells. 241

KOMOŘI S. & BOLTON T.B. Calcium release induced by inositol 1,4,5-trisphosphate in single rabbit intestinal smooth muscle cells. 495

KUROKAWA Makoto *see* TSUNOO Akinobu, KUROKAWA Makoto & TAKAHASHI Keiko Neurally evoked potentiation of tonic contractions in the guinea-pig vas deferens involves adenosine receptors. 163

LANG R.J. & PAUL R.J. Effects of 2,3-butanedione monoxime on whole-cell Ca^{2+} channel currents in single cells of the guinea-pig taenia caeci. 1

LAVIDIS Nickolas A. *see* BENNETT Max R., KARUNANITHI Shanker & LAVIDIS Nickolas A. Probabilistic secretion of quanta from nerve terminals in toad (*Bufo marinus*) muscle modulated by adenosine. 421

LEE John A., WESTERBLAD Håkan & ALLEN David G. Changes in tetanic and resting $[Ca^{2+}]_i$ during fatigue and recovery of single muscle fibres from *Xenopus laevis*. 307

LIVETT Bruce G. *see* ZHOU Xin-Fu & LIVETT Bruce G. Capsaicin-sensitive sensory neurons are involved in the plasma catecholamine response of rats to selective stressors. 393

LONG Nancy C. *see* WATANABE Tatsuo, MORIMOTO Akio, SAKATA Yoshiyuki, LONG Nancy C. & MURAKAMI Naotoshi Prostaglandin E_2 is involved in adrenocorticotrophic hormone release during swimming exercise in rats. 719

LÓPEZ-LÓPEZ J.R. *see* RIGUAL R., LÓPEZ-LÓPEZ J.R. & GONZALEZ C. Release of dopamine and chemoreceptor discharge induced by low pH and high P_{CO_2} stimulation of the cat carotid body. 519

LOWRIE M.B., SHAHANI U. & VRBOVÁ G. Erratum: *Journal of Physiology* **429** (1990) 765

LYDRUP Marie-Louise Role of K^+ channels in spontaneous electrical and mechanical activity of smooth muscle in the guinea-pig mesotubarium. 327

MCNAUGHTON P.A. *see* PERRY R.J. & MCNAUGHTON P.A. Response properties of cones from the retina of the tiger salamander. 561

MACRAE K.D. *see* SHIRLEY D.G., MACRAE K.D. & WALKER J. The renal vascular response to mild and severe haemorrhage in the anaesthetized rat. 373

MARKIEWICZ M. *see* BARKER P.M., WALTERS D.V., MARKIEWICZ M. & STRANG L.B. Development of the lung liquid reabsorptive mechanism in fetal sheep: synergism of triiodothyronine and hydrocortisone. 435

MARSDEN C.D. *see* DAY B.L., RIESCHER H., STRUPPLER A., ROTHWELL J.C. & MARSDEN C.D. Changes in the response to magnetic and electrical stimulation of the motor cortex following muscle stretch in man. 41

MARSHALL Cameron G., OGDEN David & COLQUHOUN David Activation of ion channels in the frog endplate by several analogues of acetylcholine. 73

MARTY A. *see* TAN Y.P. & MARTY A. Protein kinase C-mediated desensitization of the muscarinic response in rat lacrimal gland cells. 357

MENDELSOHN F.A.O. *see* HARRIS P.J., ZHUO J., MENDELSOHN F.A.O. & SKINNER S.L. Haemodynamic and renal tubular effects of low doses of endothelin in anaesthetized rats. 25

MOGUL David J. & FOX Aaron P. Evidence for multiple types of Ca^{2+} channels in acutely isolated hippocampal CA3 neurones of the guinea-pig. 259

MORIMOTO Akio *see* WATANABE Tatsuo, MORIMOTO Akio, SAKATA Yoshiyuki, LONG Nancy C. & MURAKAMI Naotoshi Prostaglandin E_2 is involved in adrenocorticotrophic hormone release during swimming exercise in rats. 719

MURAKAMI Naotoshi *see* WATANABE Tatsuo, MORIMOTO Akio, SAKATA Yoshiyuki, LONG Nancy C. & MURAKAMI Naotoshi Prostaglandin E_2 is involved in adrenocorticotrophic hormone release during swimming exercise in rats. 719

NAGASAKA Tetsuo *see* SHIDO Osamu, SAKURADA Sohtaro & NAGASAKA Tetsuo Effect of heat acclimation on diurnal changes in body temperature and locomotor activity in rats. 59

NAKAJIMA T. *see* KAIBARA M., NAKAJIMA T., IRISAWA H. & GILES W. Regulation of spontaneous opening of the muscarinic K^+ channels in rabbit atrium. 589

NAVARRETE Roberto *see* WALTON Kerry D. & NAVARRETE Roberto Postnatal changes in motoneurone electrotonic coupling studied in the *in vitro* rat lumbar spinal cord. 283

NICOL Madeleine Jane *see* WALMSLEY Bruce & NICOL Madeleine Jane The effects of Ca^{2+}, Mg^{2+} and kynurenate on primary afferent synaptic potentials evoked in cat spinal cord neurones *in vivo*. 409

NICOLL R.A. *see* SAH P. & NICOLL R.A. Mechanisms underlying potentiation of synaptic transmission in rat anterior cingulate cortex *in vitro*. 615

NOMA Akinori *see* WANG Zhuren, KIMITSUKI Takashi & NOMA Akinori Conductance properties of the Na^+-activated K^+ channel in guinea-pig ventricular cells. 241

NORDMANN Jean J. *see* TOESCU Emil C. & NORDMANN Jean J. Effect of sodium and calcium on basal secretory activity of rat neurohypophysial peptidergic nerve terminals. 127

OBESO A. *see* ROCHER A., OBESO A., GONZALEZ C. & HERREROS B. Ionic mechanisms for the transduction of acidic stimuli in rabbit carotid body glomus cells. 533

OGDEN David *see* MARSHALL Cameron G., OGDEN David & COLQUHOUN David Activation of ion channels in the frog endplate by several analogues of acetylcholine. 73

PALMA Eleonora *see* ZONA Cristina, FARINI Donatella, PALMA Eleonora & EUSEBI Fabrizio Modulation of voltage-activated channels by calcitonin gene-related peptide in cultured rat neurones. 631

PARKER I. & IVORRA I. Inositol tetrakisphosphate liberates stored Ca^{2+} in *Xenopus* oocytes and facilitates responses to inositol trisphosphate. 207

PARKER I. & IVORRA I. Caffeine inhibits inositol trisphosphate-mediated liberation of intracellular calcium in *Xenopus* oocytes. 229

PAUL R.J. *see* LANG R.J. & PAUL R.J. Effects of 2,3-butanedione monoxime on whole-cell Ca^{2+} channel currents in single cells of the guinea-pig taenia caeci. 1

PEDERSEN Peter Steen Separate agonist-specific oscillatory mechanisms in cultured human sweat duct cells. 549

PERRY R.J. & MCNAUGHTON P.A. Response properties of cones from the retina of the tiger salamander. 561

RIESCHER H. *see* DAY B.L., RIESCHER H., STRUPPLER A., ROTHWELL J.C. & MARSDEN C.D. Changes in the response to magnetic and electrical stimulation of the motor cortex following muscle stretch in man. 41

RIGUAL R., LÓPEZ-LÓPEZ J.R. & GONZALEZ C. Release of dopamine and chemoreceptor discharge induced by low pH and high P_{CO_2} stimulation of the cat carotid body. 519

RITCHIE J.M. *see* HOWE James R. & RITCHIE J.M. On the active form of 4-aminopyridine: block of K^+ currents in rabbit Schwann cells. 183

ROCHER A., OBESO A., GONZALEZ C. & HERREROS B. Ionic mechanisms for the transduction of acidic stimuli in rabbit carotid body glomus cells. 533

ROTHWELL J.C. *see* DAY B.L., RIESCHER H., STRUPPLER A., ROTHWELL J.C. & MARSDEN C.D. Changes in the response to magnetic and electrical stimulation of the motor cortex following muscle stretch in man. 41

SADOSHIMA Jun-Ichi & AKAIKE Norio Kinetic properties of the caffeine-induced transient outward current in bull-frog sympathetic neurones. 341

SAH P. & NICOLL R.A. Mechanisms underlying potentiation of synaptic transmission in rat anterior cingulate cortex *in vitro*. 615

SAKATA Yoshiyuki *see* WATANABE Tatsuo, MORIMOTO Akio, SAKATA Yoshiyuki, LONG Nancy C. & MURAKAMI Naotoshi Prostaglandin E_2 is involved in adrenocorticotrophic hormone release during swimming exercise in rats. 719

SAKURADA Sohtaro *see* SHIDO Osamu, SAKURADA Sohtaro & NAGASAKA Tetsuo Effect of heat acclimation on diurnal changes in body temperature and locomotor activity in rats. 59

SANCHEZ J.A. *see* ESTRADA F. & SANCHEZ J.A. The effect of amiloride on the resting potential and the electrical constants of frog skeletal muscle fibres. 705

SCHRÖDER B., KAUNE R. & HARMEYER J. Effects of calcitriol on stimulation of ion transport in pig jejunal mucosa. 451

SEPÚLVEDA F.V. *see* VALVERDE M.A., SHEPPARD D.N., GIRALDEZ F. & SEPÚLVEDA F.V. Two types of potassium currents seen in isolated *Necturus* enterocytes with the single-electrode voltage-clamp technique. 645

SEPÚLVEDA F.V. *see* SHEPPARD D.N., VALVERDE M.A., GIRALDEZ F. & SEPÚLVEDA F.V. Potassium currents of isolated *Necturus* enterocytes: a whole-cell patch-clamp study. 663

SHAHANI U. *see* LOWRIE M.B., SHAHANI U. & VRBOVÁ G. Erratum: *Journal of Physiology* **429** (1990) 765

SHEPPARD D.N. *see* VALVERDE M.A., SHEPPARD D.N., GIRALDEZ F. & SEPÚLVEDA F.V. Two types of potassium currents seen in isolated *Necturus* enterocytes with the single-electrode voltage-clamp technique. 645

SHEPPARD D.N., VALVERDE M.A., GIRALDEZ F. & SEPÚLVEDA F.V. Potassium currents of isolated *Necturus* enterocytes: a whole-cell patch-clamp study. 663

SHIDO Osamu, SAKURADA Sohtaro & NAGASAKA Tetsuo Effect of heat acclimation on diurnal changes in body temperature and locomotor activity in rats. 59

SHIRLEY D.G., MACRAE K.D. & WALKER J. The renal vascular response to mild and severe haemorrhage in the anaesthetized rat. 373

SKINNER S.L. *see* HARRIS P.J., ZHUO J., MENDELSOHN F.A.O. & SKINNER S.L. Haemodynamic and renal tubular effects of low doses of endothelin in anaesthetized rats. 25

STIEVE Hennig *see* DECKERT Alan & STIEVE Hennig Electrogenic Na^+–Ca^{2+} exchanger, the link between intra- and extracellular calcium in the *Limulus* ventral photoreceptor. 467

STRANG L.B. *see* BARKER P.M., WALTERS D.V., MARKIEWICZ M. & STRANG L.B. Development of the lung liquid reabsorptive mechanism in fetal sheep: synergism of triiodothyronine and hydrocortisone. 435

STRUPPLER A. *see* DAY B.L., RIESCHER H., STRUPPLER A., ROTHWELL J.C. & MARSDEN C.D. Changes in the response to magnetic and electrical stimulation of the motor cortex following muscle stretch in man. 41

TAKAHASHI Keiko *see* TSUNOO Akinobu, KUROKAWA Makoto & TAKAHASHI Keiko Neurally evoked potentiation of tonic contractions in the guinea-pig vas deferens involves adenosine receptors. 163

TAN Y.P. & MARTY A. Protein kinase C-mediated desensitization of the muscarinic response in rat lacrimal gland cells. 357

TOESCU Emil C. Calcium influx in resting conditions in a preparation of peptidergic nerve terminals isolated from the rat neurohypophysis. 109

TOESCU Emil C. & NORDMANN Jean J. Effect of sodium and calcium on basal secretory activity of rat neurohypophysial peptidergic nerve terminals. 127

TRAYNELIS Stephen F. & CULL-CANDY Stuart G. Pharmacological properties and H^+ sensitivity of excitatory amino acid receptor channels in rat cerebellar granule neurones. 727

TSUNOO Akinobu, KUROKAWA Makoto & TAKAHASHI Keiko Neurally evoked potentiation of tonic contractions in the guinea-pig vas deferens involves adenosine receptors. 163

VALVERDE M.A., SHEPPARD D.N., GIRALDEZ F. & SEPÚLVEDA F.V. Two types of potassium currents seen in isolated *Necturus* enterocytes with the single-electrode voltage-clamp technique. 645

VALVERDE M.A. *see* SHEPPARD D.N., VALVERDE M.A., GIRALDEZ F. & SEPÚLVEDA F.V. Potassium currents of isolated *Necturus* enterocytes: a whole-cell patch-clamp study. 663

VAN DER KLOOT William *see* YU Shan Ping & VAN DER KLOOT William Increasing quantal size at the mouse neuromuscular junction and the role of choline. 677

VARRO A. *see* DIMALINE R., EVANS D., VARRO A. & DOCKRAY G.J. Reversal by omeprazole of the depression of gastrin cell function by fasting in the rat. 483

VRBOVÁ G. *see* LOWRIE M.B., SHAHANI U. & VRBOVÁ G. Erratum: *Journal of Physiology* **429** (1990) 765

WALKER J. *see* SHIRLEY D.G., MACRAE K.D. & WALKER J. The renal vascular response to mild and severe haemorrhage in the anaesthetized rat. 373

WALMSLEY Bruce & NICOL Madeleine Jane The effects of Ca^{2+}, Mg^{2+} and kynurenate on primary afferent synaptic potentials evoked in cat spinal cord neurones *in vivo*. 409

WALTERS D.V. *see* BARKER P.M., WALTERS D.V., MARKIEWICZ M. & STRANG L.B. Development of the lung liquid reabsorptive mechanism in fetal sheep: synergism of triiodothyronine and hydrocortisone. 435

WALTON Kerry D. & NAVARRETE Roberto Postnatal changes in motoneurone electrotonic coupling studied in the *in vitro* rat lumbar spinal cord. 283

WANG Zhuren, KIMITSUKI Takashi & NOMA Akinori Conductance properties of the Na^+-activated K^+ channel in guinea-pig ventricular cells. 241

WATANABE Tatsuo, MORIMOTO Akio, SAKATA Yoshiyuki, LONG Nancy C. & MURAKAMI Naotoshi Prostaglandin E_2 is involved in adrenocorticotrophic hormone release during swimming exercise in rats. 719

WESTERBLAD Håkan *see* LEE John A., WESTERBLAD Håkan & ALLEN David G. Changes in tetanic and resting $[Ca^{2+}]_i$ during fatigue and recovery of single muscle fibres from *Xenopus laevis*. 307

YEATS Jane *see* BEVAN Stuart & YEATS Jane Protons activate a cation conductance in a subpopulation of rat dorsal root ganglion neurones. 145

YU Shan Ping & VAN DER KLOOT William Increasing quantal size at the mouse neuromuscular junction and the role of choline. 677

ZHOU Xin-Fu & LIVETT Bruce G. Capsaicin-sensitive sensory neurons are involved in the plasma catecholamine response of rats to selective stressors. 393

ZHUO J. *see* HARRIS P.J., ZHUO J., MENDELSOHN F.A.O. & SKINNER S.L. Haemodynamic and renal tubular effects of low doses of endothelin in anaesthetized rats. 25

ZONA Cristina, FARINI Donatella, PALMA Eleonora & EUSEBI Fabrizio Modulation of voltage-activated channels by calcitonin gene-related peptide in cultured rat neurones. 631